

Logic for AI

Master 1 Informatique

Andrea G. B. Tettamanzi
Laboratoire I3S – Pôle SPARKS
`andrea.tettamanzi@univ-cotedazur.fr`



Unit 10

Possibility Theory

Agenda

- Introduction
- Logic and Uncertainty
- Possibility Distribution
- Possibility Measures
- Possibilistic Logic

Introduction

- Uncertainty pervades information and knowledge
- The handling of uncertainty in inference systems has been an issue for a long time in AI
- Logical formalisms have dominated AI for several decades
 - Modal logic
 - Non-monotonic logic
 - Many-valued logic (e.g., fuzzy logic)
- Bayesian networks have become prominent in AI, but...
 - They “deny” the problem of incomplete knowledge
 - The self-duality of probabilities cannot distinguish the lack of belief in a proposition and the belief in its negation

Logic and Uncertainty

- There has been a divorce between logic and probability in the early 20th century
 - Logic as a foundation for Mathematics
 - Probability instrumental to represent statistical data
- Attempts at logical probability have been unsuccessful
 - Degrees of belief cannot be additive and self-dual
 - Deductions lead to incompatible probabilities or, at best, at interval-valued probabilities
- Some theories have emerged to overcome this problem
 - Walley's imprecise probability theory
 - Dempster-Shafer theory of evidence
 - Possibility theory

Representing Beliefs


When knowledge is incomplete, we may speak of **Beliefs**

There appears to be three traditions for representing beliefs

- Set-Functions
- Multiple-Valued Logic
- Modal Logic

Interpretations / Events

Measurable space
or Universe



Set Functions

- A set function is used to assign degrees of beliefs to propositions
- A proposition is represented by the set of its models

But Spohn:

$$f : 2^{\Omega} \rightarrow [0, 1]$$

$$\kappa : 2^{\Omega} \rightarrow \mathbb{N}$$

$$A \subseteq B \Leftrightarrow f(A) \leq f(B)$$

$$f(\emptyset) = 0$$

$$f(\Omega) = 1$$

Probability


Possibility and Necessity

Belief and Plausibility

Upper and Lower Probability

Multiple-Valued Logic

- Three-valued logics (Łukasiewicz, Kleene):
 - True
 - False
 - Possible, Unknown, or Indeterminate
- Four-valued logic (Belnap):
 - T, F, Both, None
 - None means unknown
 - Both means conflicting information



Modal Logic

- Represent the belief modality at the syntactic level
- Necessity symbol (modality) $\Box P$
- Clear distinction between $\neg\Box P$ and $\Box\neg P$
- Doxastic Logic (von Wright, Hintikka, Fagin *et al.*)
- Axioms:
 - K $\Box(P \Rightarrow Q) \Rightarrow (\Box P \Rightarrow \Box Q)$
 - D $\Box P \Rightarrow \neg\Box\neg P$
 - T $\Box P \Rightarrow P$
 - 4 $\Box P \Rightarrow \Box\Box P$
 - 5 $\neg\Box P \Rightarrow \Box\neg\Box P$

Possibility Distribution

$$\pi : \Omega \rightarrow [0, 1]$$

$\pi(\omega) = 0$ Outright impossible

$\pi(\omega) = 1$ Fully possible, not surprising at all

Normalized: $\exists \omega^* \in \Omega : \pi(\omega^*) = 1$

Remark: this is the fuzzy set of possible states of affairs!

Possibility and Necessity Measures

$$\Pi(A) = \max_{\omega \in A} \pi(\omega);$$

$$N(A) = 1 - \Pi(\overline{A}) = \min_{\omega \in \overline{A}} \{1 - \pi(\omega)\}.$$

$$\Pi(\phi) = \max_{\omega \models \phi} \pi(\omega);$$

$$N(\phi) = 1 - \Pi(\neg\phi) = \min_{\omega \not\models \phi} \{1 - \pi(\omega)\}.$$

Properties

Given a **normalized** possibility distribution on a finite universe:

$$\Pi(\perp) = N(\perp) = 0$$

$$\Pi(\top) = N(\top) = 1$$

$$\Pi(\phi \vee \psi) = \max\{\Pi(\phi), \Pi(\psi)\}$$

$$N(\phi \wedge \psi) = \min\{N(\phi), N(\psi)\}$$

$$\Pi(\phi) = 1 - N(\neg\phi)$$

$$N(\phi) = 1 - \Pi(\neg\phi)$$

$$N(\phi) \leq \Pi(\phi)$$

$$\Pi(\phi) < 1 \Rightarrow N(\phi) = 0$$

$$N(\phi) > 0 \Rightarrow \Pi(\phi) = 1$$

Possibilistic Logic

$$(\phi, \alpha) \xrightarrow{\text{red arrow}} N(\phi) \geq \alpha$$
$$\alpha \in (0, 1]$$

Inference Rules


$$(\phi, \alpha) \vdash (\phi, \beta) \quad \text{if} \quad \beta \leq \alpha \quad \text{(Certainty Weakening)}$$
$$(\phi \Rightarrow \psi, \alpha), (\phi, \alpha) \vdash (\psi, \alpha) \quad \text{(Modus Ponens)}$$

Weakest-Link Resolution

$$(\neg\phi \vee \psi, \alpha), (\phi \vee \xi, \beta) \vdash (\psi \vee \xi, \min\{\alpha, \beta\})$$

Semantics

$$\Sigma = \{(\phi_i, a_i)\}_{i=1,\dots,n}$$



$$\pi_\Sigma(\omega) = 1 - \max\{a_i : (\phi_i, a_i) \in \Sigma \text{ and } \omega \models \neg\phi_i\}$$

Thank you for your attention

