

LABORATOIRE



INFORMATIQUE, SIGNAUX ET SYSTÈMES  
DE SOPHIA ANTIPOLIS  
UMR 6070

# ROBUST INDEPENDENT COMPONENT ANALYSIS

*Vicente Zarzoso, Pierre Comon*

*Equipe SIGNAL*

Rapport de recherche  
ISRN I3S/RR-2009-02-FR

Mars 2009

---

RÉSUMÉ :

L'Analyse en Composantes Indépendantes (ICA) vise à décomposer un vecteur aléatoire observé en des variables statistiquement indépendantes. Les implantations basées sur la déflation, telles que l'algorithme FastICA et ses variantes, extraient les composantes indépendantes l'une après l'autre. Une nouvelle méthode pour l'ICA à déflation, appelée RobustICA, est proposée ici. Cette technique simple consiste à réaliser l'optimisation exacte du kurtosis dans la direction de recherche. Le pas optimal menant au maximum global du contraste dans cette direction se trouve parmi les racines d'un polynôme de quatrième degré. Ces racines peuvent être calculées de manière algébrique, et donc à bas coût de calcul, à chaque itération. Parmi d'autres bénéfiques pratiques, RobustICA n'a pas besoin de préblanchiment et est capable de traiter sans distinction des mélanges réels ou complexes de sources non-circulaires. L'absence de préblanchiment améliore les performances asymptotiques. Par ailleurs, l'algorithme présente une vitesse de convergence très élevée en termes de coût de calcul nécessaire pour atteindre une qualité d'extraction donnée, surtout pour des horizons d'observation courts. Ces atouts sont mis en évidence par une analyse comparative expérimentale sur des données synthétiques. Les capacités de l'algorithme dans le traitement de données réelles comprenant des sources complexes non-circulaires fortement super-gaussiennes sont illustrées dans le domaine biomédical, avec le problème de l'extraction de l'activité auriculaire à partir d'électrocardiogrammes de fibrillation auriculaire, où il obtient de meilleurs résultats qu'une technique alternative d'ICA.

MOTS CLÉS :

---

ABSTRACT:

Independent component analysis (ICA) aims at decomposing an observed random vector into statistically independent variables. Deflation-based implementations, such as the popular one-unit FastICA algorithm and its variants, extract the independent components one after another. A novel method for deflationary ICA, referred to as RobustICA, is put forward in this paper. This simple technique consists of performing exact line search optimization of the kurtosis contrast function. The step size leading to the global maximum of the contrast along the search direction is found among the roots of a fourth-degree polynomial. This polynomial rooting can be performed algebraically, and thus at low cost, at each iteration. Among other practical benefits, RobustICA can avoid prewhitening and deals with real-and complex-valued mixtures of possibly non-circular sources alike. The absence of prewhitening improves asymptotic performances. Moreover, the algorithm shows a very high convergence speed in terms of the computational cost required to reach a given source extraction quality, particularly for short date records. These features are demonstrated by a comparative numerical analysis on synthetic date. RobustICA's capabilities in processing real-world date involving complex non-circular strongly super-Gaussian sources are illustrated by the biomedical problem of atrial activity extraction in atrial fibrillation electrocardiograms, where it outperforms an alternative ICA-based technique.

KEY WORDS :

# Robust Independent Component Analysis

Vicente Zarzoso, *Member, IEEE*, and Pierre Comon, *Fellow, IEEE*

## Abstract

Independent component analysis (ICA) aims at decomposing an observed random vector into statistically independent variables. Deflation-based implementations, such as the popular one-unit FastICA algorithm and its variants, extract the independent components one after another. A novel method for deflationary ICA, referred to as RobustICA, is put forward in this paper. This simple technique consists of performing exact line search optimization of the kurtosis contrast function. The step size leading to the global maximum of the contrast along the search direction is found among the roots of a fourth-degree polynomial. This polynomial rooting can be performed algebraically, and thus at low cost, at each iteration. Among other practical benefits, RobustICA can avoid prewhitening and deals with real- and complex-valued mixtures of possibly non-circular sources alike. Moreover, the algorithm shows a very high convergence speed in terms of the computational cost required to reach a given source extraction quality, particularly for short data records. These features are demonstrated by a comparative numerical analysis on synthetic data. RobustICA's capabilities in processing real-world data involving complex non-circular strongly super-Gaussian sources are illustrated by the biomedical problem of atrial activity extraction in atrial fibrillation electrocardiograms, where it outperforms an alternative ICA-based technique.

## Index Terms

Blind source separation, independent component analysis, iterative optimization, kurtosis, optimal step size, performance analysis, atrial fibrillation.

## I. INTRODUCTION

### A. *Blind source separation and independent component analysis*

Introduced over two decades ago [1], the problem of blind source separation (BSS) consists of recovering a set of unobservable source signals from observed mixtures of the sources. Independent

Manuscript submitted March 11, 2009.

The authors are with the I3S Laboratory, University of Nice - Sophia Antipolis, CNRS, Les Algorithmes, Euclide-B, BP 121, 2000 route des Lucioles, 06903 Sophia Antipolis Cedex, France. {zarzoso, pcomon}@i3s.unice.fr.

component analysis (ICA) aims at decomposing an observed random vector into statistically independent variables [2]. Among its numerous applications, ICA is the most natural tool for BSS in instantaneous linear mixtures when the source signals are assumed to be independent. As opposed to classical decomposition techniques such as principal component analysis (PCA), ICA can deal with a general mixing structure, even if not made up of orthogonal columns. The plausibility of the statistical independence assumption in a wide variety of fields, including telecommunications, finance and biomedical engineering, helps explain the arousing interest in this research area witnessed over the last two decades.

Mathematically, the observed random vector  $\mathbf{x} \in \mathbb{C}^L$  is assumed to be generated according to the instantaneous linear mixing model:

$$\mathbf{x} = \mathbf{H}\mathbf{s} + \mathbf{n} \quad (1)$$

where the source vector  $\mathbf{s} = [s_1, s_2, \dots, s_K]^T \in \mathbb{C}^K$  is made of  $K \leq L$  unknown mutually independent components. The elements of mixing matrix  $\mathbf{H} \in \mathbb{C}^{L \times K}$  are also unknown, and so are the noise vector  $\mathbf{n}$  and its probability distribution; the noise is only assumed to be independent of the sources. Our focus is on block implementations, which, contrary to common belief, are not necessarily more costly than adaptive (recursive, on-line, sample-by-sample, or neural) algorithms, and are able to use more effectively the information contained in the observed signal block. Given a sensor-output signal block composed of  $T$  samples, ICA aims at estimating the corresponding  $T$ -sample realization of the source vector.

Two main approaches to ICA have been proposed to date. In the original definition of ICA carried out in early works such as [2] and [3], the independent components are extracted jointly or simultaneously, an approach sometimes called symmetric. On the other hand, the deflation approach estimates the sources one after another [4] by relying on so-called one-unit source extraction algorithms [5], [6], [7], [8], [9]. The deflation principle has also been shown to work successfully to separate convolutive mixtures [10]. Due to error accumulation throughout successive deflation stages, it is generally acknowledged that joint algorithms outperform deflationary algorithms without necessarily incurring an excessive computational cost.

### B. Contrast functions and kurtosis

The first comprehensive mathematical framework for BSS and ICA was established by Comon in [2]. A key concept in this formulation was the definition of *contrast function*, a functional in the distribution of the separator output quantifying a measurable property of the signals and related to the degree of separation. By virtue of three essential features (invariance, domination and discrimination)

characterizing a contrast, its optimization is achieved if and only if the sources are separated up to admissible scale and permutation indeterminacies [2].

Since Comon's seminal work, many ICA contrast functions have been proposed in the literature, mainly based on information theoretical principles such as maximum likelihood, mutual information, marginal entropy and negentropy [11], [12], [13]. Despite their optimality, these contrasts involve probability density functions (pdf's), which are difficult to estimate and deal with in practice. Edgeworth or Gram-Charlier expansions lead to practical algorithms involving more tractable higher-order statistics (cumulants). Among these non-Gaussianity measures, the kurtosis (normalized fourth-order marginal cumulant) is arguably the most common statistics used in ICA, even if skewness has also been proposed [14]. Although its adequacy may be objected on the basis of statistical efficiency and robustness against outliers [6], its widespread use is justified by mathematical tractability and, as will be highlighted throughout this paper, computational convenience and robustness to finite sample effects [15]. In addition, kurtosis estimates more robust to outliers than the sample moment based estimate are also available. Most kurtosis-based algorithms can separate sources with non-zero kurtosis, regardless of its sign [2], [3], [7], [8], [16], while others can only separate sources with positive or negative kurtosis (respectively, super-Gaussian or sub-Gaussian), or with kurtoses verifying certain conditions [17], [18]. Interestingly, the use of kurtosis dates back to the work of Wiggins [19], Donoho [20] and Shalvi-Weinstein [21] on blind deconvolution of seismic signals and blind equalization of single-input single-output (SISO) digital communication channels, two problems that can be related to BSS/ICA. Kurtosis has also been used with success in the separation of convolutive mixtures [10], which can be considered as a multichannel (MIMO) blind deconvolution problem.

### *C. The FastICA algorithm*

The FastICA algorithm [5], [6], [7], [8], [9], is perhaps the most popular method for ICA, due to its simplicity, high convergence speed and satisfactory results in numerous applications. Indeed, the one-unit algorithm with cubic non-linearity, related to the optimization of the kurtosis contrast under prewhitening, offers cubic global convergence as the sample size tends to infinity [7], [22]. In addition, the algorithm is asymptotically efficient if the non-linearity is matched to the source pdf [23]. The cubic non-linearity associated with kurtosis is particularly well adapted to sub-Gaussian distributions [6], [23]. Some of these desirable properties are also shared by the symmetric version of the algorithm [24]. Originally put forward in deflation mode, FastICA appeared after other kurtosis-based ICA methods such as CoM2 [2], JADE [3], CoM1 [18], or the deflation methods by Tugnait [10] or Delfosse-Loubaton [4]. A first comparison with earlier methods can be found in [25]. In the comparative study of [26], FastICA is shown to fail for weak or highly spatially correlated sources. Its

convergence slows down or even fails in the presence of saddle points, particularly for short block sizes [23]. To surmount this difficulty, a simple saddle-point check method is proposed in that reference. Such a method is based on estimated component pairs and, as a result, is not applicable if only one independent component is required. Further improvements of the symmetric implementation of the algorithm are developed in [27]. All these results rely heavily on the assumption that the observed signals have been perfectly whitened or sphered before further higher-order processing. As pointed out in [28], the use of prewhitening entails a bound on separation performance and introduces an estimation bias due to residual source correlations for short data sizes.

#### *D. The complex-valued scenario*

The FastICA algorithm was originally developed for real-valued signals only. A first extension to complex-valued sources is proposed in [29], and later shown to keep the cubic global convergence property of its real counterpart [30]. Such an extension, however, is only valid for second-order circular sources, a limitation that has motivated more recent efforts to extend the usefulness of the algorithm to non-circular sources [31], [32], [33], [34]. Reference [34] derives gradient, fixed-point and Newton-like algorithms based on the general definition of the fourth-order marginal cumulant valid for non-circular sources. In [32] the whitened observation pseudo-covariance matrix is incorporated into FastICA's update rule to guarantee local stability at the separating solutions even in the presence of non-circular sources. For the kurtosis-based non-linearity, the resulting algorithm bears close resemblance to that derived in [31] through an ingenious approach sparing differentiation. Similar algorithms are proposed in [33] through a negentropy-based family of cost functions preserving phase information and thus adapted to non-circular sources. Such functions must be chosen in accordance with the source distributions to assure stability. Again, all the above methods rely on prewhitening. Interestingly, early methods for BSS in the complex case did not require prewhitening and were also applicable to non-circular sources [35], [36].

#### *E. Summary and contributions of the paper*

This contribution presents a novel method for deflationary ICA named RobustICA [37], [38], [39]. The method is based on a general contrast function, the kurtosis, which is optimized by a computationally efficient technique based on an optimal step size. This technique computes algebraically the step size (adaption coefficient) globally optimizing the contrast in the search direction at each iteration. Any independent component with non-zero kurtosis can be extracted in this manner. No simplifying assumptions concerning specific type of sources (real or complex, circular or non-circular, sub-Gaussian or super-Gaussian) are involved in the derivation of the algorithm. Although the theory

behind RobustICA (exact line search) is well-known (see, e.g., [40]), the method presents a number of advantages with significant practical impact:

- The optimal step-size technique provides some robustness to the presence of saddle points and spurious local extrema in the contrast function.
- The method shows a very high convergence speed measured in terms of source extraction quality versus number of operations.
- Real- and complex-valued signals are treated by exactly the same algorithm. Both type of source signals can be present simultaneously in a given mixture, and complex sources need not be circular. The mixing matrix coefficients may be real or complex, regardless of the source type.
- Sequential extraction (deflation) can be performed via linear regression. As a result, prewhitening and the performance limitations it imposes [28] can be avoided. This feature may prove especially beneficial in ill-conditioned scenarios, the convolutive case and underdetermined mixtures.
- Optionally, the algorithm can target sub-Gaussian or super-Gaussian sources in the order defined by a kurtosis-sign vector provided by the user. This feature enables the extraction of sources of interest when their Gaussianity character is known in advance, thus sparing a full separation of the observed mixture and the consequent unnecessary complexity and increased estimation error.

RobustICA's cost-efficiency and robustness are particularly remarkable for short sample length in the absence of prewhitening. In addition to presenting the method and assessing its comparative performance on synthetic data, the practical usefulness of RobustICA is illustrated with a real-world problem: the extraction of the atrial activity signal from surface electrocardiogram (ECG) recordings of atrial fibrillation. This biomedical application demonstrates that the kurtosis contrast can also be used with success in the extraction of strongly super-Gaussian sources.

#### *F. Related work on optimal step-size iterative methods*

To our knowledge, research into the optimization of the step size, learning rate or adaption coefficient characterizing adaptive algorithms can be traced back to the work of Kuzminskiy on the LMS algorithm in nonstationary environments, where recursive expressions for the step size are derived [41], [42]. Our rationale is essentially different, as we aim to perform algebraic exact line search of a non-quadratic contrast in a cost-effective manner by iterating on the same signal block under the assumption of stationarity over the observation window. More recent works on the LMS algorithm such as [43] and references therein seem closer to our approach, except that the optimal step-size is computed using a cost function different from that minimized via the stochastic LMS. More pertinent in the context of this work, reference [44] finds bounds for the step size guaranteeing monotonic convergence of the normalized fourth-order moment of the extractor output.

Such a function is only a contrast for real-valued sources under prewhitening, a similar limitation shared by the more general class of functions considered in [45]. Determining these step-size bounds is a computational intensive task, as it involves the eigenspectrum of a Hessian matrix on a convex subset containing the unit sphere. While still ensuring monotonic convergence, the optimal step-size approach developed herein is valid for real- and complex-valued sources, does not require prewhitening and is computationally very simple. This type of technique has already been successfully applied by the authors to other higher-order contrasts such as the constant modulus or the constant power criteria in the problems of blind and semi-blind equalization of digital communication channels [46], [47], [48], [49].

### G. Organization of the paper

The paper begins by critically reviewing the deflationary kurtosis-based FastICA algorithm and its variants in Sec. II. Then, Sec. III presents the RobustICA technique. Its experimental comparative assessment is carried out in Sec. IV. In particular, we aim at evaluating objectively the algorithms' speed and efficiency by taking into account the cost per iteration in number of operations. A biomedical application, the extraction of atrial activity from ECG recordings of atrial fibrillation, illustrates the method's ability to deal with non-circular complex-valued super-Gaussian sources, as reported in Sec. V. The concluding remarks of Sec. VI bring the paper to an end.

## II. FASTICA REVISITED

### A. Kurtosis-based optimality criteria

In the deflation approach to ICA, an extracting vector  $\mathbf{w}$  is sought so that the estimate

$$y \stackrel{\text{def}}{=} \mathbf{w}^H \mathbf{x} \quad (2)$$

where  $(\cdot)^H$  denotes the conjugate-transpose operator, maximizes some optimality criterion or contrast function, and is hence expected to be a component independent from the others. A widely used contrast is the kurtosis, which is defined as the normalized fourth-order marginal cumulant:

$$\mathcal{K}(\mathbf{w}) = \frac{\mathbb{E}\{|y|^4\} - 2\mathbb{E}^2\{|y|^2\} - |\mathbb{E}\{y^2\}|^2}{\mathbb{E}^2\{|y|^2\}} \quad (3)$$

where  $\mathbb{E}\{\cdot\}$  denotes the mathematical expectation. This criterion is easily seen to be insensitive to scale, i.e.,  $\mathcal{K}(\lambda\mathbf{w}) = \mathcal{K}(\mathbf{w})$ ,  $\forall \lambda \neq 0$ . Since this scale indeterminacy is typically unimportant, we can impose, without loss of generality, the normalization  $\|\mathbf{w}\| = 1$  for numerical convenience. The *kurtosis maximization (KM)* criterion based on contrast (3) is quite general in that it does not require the observations to be prewhitened and can be applied to real- or complex-valued sources without any modification.



The KM criterion started to receive attention with the pioneering work of Wiggins [19], Donoho [20] and Shalvi-Weinstein [21] on blind equalization, and was later employed for source separation [4], even in the convolutive mixture scenario [10]. In the real-valued case, it was proved in [4] that the maximization of criterion  $|\mathcal{K}(\mathbf{w})|$  is a valid contrast for the extraction of any source with non-zero kurtosis from model (1) after prewhitening. To avoid extracting the same source twice, the unitary mixing matrix is suitably parameterized as a function of angular parameters, and function (3) iteratively maximized with respect to these angles. In the convolutive mixture scenario of [10], the contrast is maximized without parameterization. Regression is used as an alternative method to avoid extracting the same source more than once.

To simplify the source extraction, the kurtosis-based FastICA algorithm [7], [8], [9] first applies a prewhitening operation, as in [4], resulting in transformed observations with an identity covariance matrix,  $\mathbf{R}_x \stackrel{\text{def}}{=} \mathbb{E}\{\mathbf{x}\mathbf{x}^H\} = \mathbf{I}$ . In the real-valued case, contrast (3) then becomes equivalent to the fourth-order moment criterion:

$$\mathcal{M}(\mathbf{w}) = \mathbb{E}\{|y|^4\} \quad (4)$$

which must be optimized under a constraint, e.g.,  $\|\mathbf{w}\| = 1$ , to avoid arbitrarily large values of  $y$ . Under the same constraint, criteria (3) and (4) are also equivalent if the sources are complex-valued but second-order circular, i.e., the non-circular second-moment (or pseudo-covariance) matrix  $\mathbf{C}_s \stackrel{\text{def}}{=} \mathbb{E}\{\mathbf{s}\mathbf{s}^T\}$  is null, where  $(\cdot)^T$  is the transpose operator without conjugation. Consequently, contrast (4) is less general than criterion (3) in that it requires the observations to be prewhitened and the sources to be real-valued, or complex-valued but circular.

### B. Contrast optimization

Under the constraint  $\|\mathbf{w}\| = 1$ , the stationary points of  $\mathcal{M}(\mathbf{w})$  are obtained as a collinearity condition on  $\mathbb{E}\{\mathbf{x}y y^{*2}\}$ :

$$\mathbb{E}\{|\mathbf{w}^H \mathbf{x}|^2 \mathbf{x}\mathbf{x}^H\} \mathbf{w} = \lambda \mathbf{w} \quad (5)$$

where  $\lambda$  is a Lagrangian multiplier. As opposed to the claims of [7], eqn. (5) is a fixed-point equation only if  $\lambda$  is known, which is not the case here;  $\lambda$  must be determined so as to satisfy the constraint, and thus it depends on  $\mathbf{w}_0$ , the optimal value of  $\mathbf{w}$ :  $\lambda = \mathcal{M}(|\mathbf{w}_0^H \mathbf{x}|^4)$ .

For the sake of simplicity,  $\lambda$  is arbitrarily set to a deterministic fixed value [7], [9], so that FastICA becomes an approximate standard Newton algorithm, as eventually pointed out in [8]. In the real-valued case, the Hessian matrix of  $\mathcal{M}(\mathbf{w})$  is approximated as

$$\mathbb{E}\{(\mathbf{w}^T \mathbf{x}\mathbf{x}^T \mathbf{w})\mathbf{x}\mathbf{x}^T\} \approx \mathbb{E}\{\mathbf{w}^T \mathbf{x}\mathbf{x}^T \mathbf{w}\} \mathbb{E}\{\mathbf{x}\mathbf{x}^T\} = \mathbf{w}^T \mathbf{w} = \mathbf{I} \quad (6)$$

As a result, the kurtosis-based FastICA reduces to

$$\mathbf{w}^+ = \mathbf{w} - \frac{1}{3} \mathbb{E}\{\mathbf{x}(\mathbf{w}^T \mathbf{x})^3\}. \quad (7)$$

Since  $\nabla \mathcal{M}(\mathbf{w}) = 4\mathbb{E}\{\mathbf{x}(\mathbf{w}^T \mathbf{x})^3\}$ , eqn. (7) is essentially a gradient-descent update rule of the form

$$\mathbf{w}^+ = \mathbf{w} - \mu \nabla \mathcal{M}(\mathbf{w}) \quad (8)$$

with a fixed value for the step size,  $\mu = 1/12$ . It follows that the kurtosis-based FastICA is a particular instance of the family of gradient-based algorithms proposed in [10]. Though fixed to a constant value, FastICA's step-size choice is judicious in that it leads to cubic convergence of the algorithm for infinite sample size [8]. For short sample sizes, however, convergence may slow down and even get trapped in saddle areas and local extrema, as has been noticed in [23] and will be further illustrated in Sec. IV.

To prevent locking onto a previously extracted source, the so-called deflationary orthogonalization can be performed after each FastICA update iteration. The extracting vector is constrained to lie within the orthogonal subspace of the extracting vectors, stored in matrix  $\mathbf{W}_k = [\mathbf{w}_1, \mathbf{w}_2, \dots, \mathbf{w}_{k-1}]$ , found for the previous  $(k-1)$  sources:

$$\mathbf{w}^+ \leftarrow \mathbf{w}^+ - \mathbf{W}_k \mathbf{W}_k^H \mathbf{w}^+. \quad (9)$$

This procedure is tantamount to the Gram-Schmidt orthogonalization of  $\mathbf{w}^+$  with respect to the columns of  $\mathbf{W}_k$ . The iteration concludes with a normalization step to guarantee the constraint  $\|\mathbf{w}^+\| = 1$ :

$$\mathbf{w}^+ \leftarrow \mathbf{w}^+ / \|\mathbf{w}^+\|. \quad (10)$$

The algorithm can be stopped when

$$|1 - |\mathbf{w}^H \mathbf{w}^+|| < \epsilon \quad (11)$$

for a statistically significant small constant  $\epsilon$ , e.g.,  $\epsilon = \eta/T$ , with  $\eta < 1$ . The use of the transpose-conjugate operator in eqns. (9) and (11) makes them also valid in the complex case.

### C. Complex case

In the extension of the kurtosis-based FastICA algorithm to complex-valued scenarios [29], [30], the update rule can be expressed as

$$\mathbf{w}^+ = \mathbf{w} - \frac{1}{2} \mathbb{E}\{\mathbf{x}y^*|y|^2\} \quad (12)$$

with  $y$  defined as in (2). Let us define the gradient operator as  $\nabla_{\mathbf{w}} = \nabla_{\mathbf{w}_r} + j\nabla_{\mathbf{w}_i}$ , where  $\mathbf{w}_r$  and  $\mathbf{w}_i$  represent the real and imaginary parts, respectively, of vector  $\mathbf{w}$ ; this a scaled form of

Brandwood's conjugate gradient [50]. Then, eqn. (12) is easily shown to be a gradient-descent algorithm on contrast (4) with fixed step size  $\mu = 1/8$ . The algorithm is only valid for second-order circular sources, satisfying  $\mathbf{C}_s = \mathbf{0}$ . Recent works aiming to avoid this limitation are all based on the prewhitening assumption. Starting from the non-normalized fourth-order cumulant contrast, the KM fixed-point (KM-F) algorithm of [34] assigns the current gradient to the extracting vector

$$\mathbf{w}^+ = \mathbb{E}\{|y|^2 y^* \mathbf{x}\} - 2\mathbb{E}\{|y|^2\}\mathbb{E}\{y^* \mathbf{x}\} - \mathbb{E}^*\{y^2\}\mathbb{E}\{y \mathbf{x}\} \quad (13)$$

before the orthogonalization and normalization steps described by eqns. (9) and (10). A modification of [29] is proposed in [32] leading to the so-called non-circular FastICA (nc-FastICA) algorithm. For contrast (4), the modified update rule reads:

$$\mathbf{w}^+ = \mathbf{w} - \frac{1}{2}\mathbb{E}\{|y|^2 y^* \mathbf{x}\} + \frac{1}{2}\mathbb{E}\{\mathbf{x} \mathbf{x}^T\}\mathbb{E}^*\{y^2\}\mathbf{w}^*. \quad (14)$$

By taking into account the whitened observation pseudo-covariance matrix in the last term, the nc-FastICA algorithm becomes locally stable at the separation solutions even in the presence of non-circular sources. The complex fixed-point algorithm (CFPA) of [31] turns out to rely on a very similar update rule, obtained through an alternative approach sparing differentiation.

### III. ROBUSTICA

#### A. Exact line search on the kurtosis contrast

Without simplifying assumptions, a simple quite natural alternative to FastICA consists of performing exact line search of the absolute kurtosis contrast (3):

$$\mu_{\text{opt}} = \arg \max_{\mu} |\mathcal{K}(\mathbf{w} + \mu \mathbf{g})|. \quad (15)$$

The search direction  $\mathbf{g}$  is typically (but not necessarily) the gradient,  $\mathbf{g} = \nabla_{\mathbf{w}} \mathcal{K}(\mathbf{w})$ , which is given by

$$\nabla_{\mathbf{w}} \mathcal{K}(\mathbf{w}) = \frac{4}{\mathbb{E}^2\{|y|^2\}} \left\{ \mathbb{E}\{|y|^2 y^* \mathbf{x}\} - \mathbb{E}\{y \mathbf{x}\}\mathbb{E}^*\{y^2\} - \frac{(\mathbb{E}\{|y|^4\} - |\mathbb{E}\{y^2\}|^2)\mathbb{E}\{y^* \mathbf{x}\}}{\mathbb{E}\{|y|^2\}} \right\}. \quad (16)$$

Exact line search is in general computationally intensive and presents other limitations [40], which explains why, despite being a well-known optimization method, it is very rarely used in practice. However, for criteria that can be expressed as polynomials or rational functions of  $\mu$ , such as the kurtosis, the constant modulus [51], [49] and the constant power [52], [48] contrasts, the optimal step size  $\mu_{\text{opt}}$  can easily be determined by finding the roots of a low-degree polynomial. The RobustICA algorithm is derived from the application of this idea to the kurtosis contrast, as detailed next. A freely available Matlab implementation can be found in [53].

At each iteration, RobustICA performs an optimal step-size (OS) based optimization comprising the following steps:

S1) Compute the OS polynomial coefficients.

For the kurtosis contrast, the OS polynomial is given by:

$$p(\mu) = \sum_{k=0}^4 a_k \mu^k. \quad (17)$$

The coefficients  $\{a_k\}_{k=0}^4$  can easily be obtained at each iteration from the observed signal block and the current values of  $\mathbf{w}$  and  $\mathbf{g}$ . Their expressions are found in the Appendix. Numerical conditioning in the determination of  $\mu_{\text{opt}}$  can be improved by normalizing the gradient vector beforehand.

S2) Extract OS polynomial roots  $\{\mu_k\}_{k=1}^4$ .

The roots of the 4th-degree polynomial (quartic) can be found at practically no cost using standard algebraic procedures such as Ferrari's formula, known since the 16th century [40]. Indeed, the complexity of this step is negligible compared with the calculation of the statistics required in the previous step. Details about computational cost are given in Sec. III-E.

S3) Select the root leading to the absolute maximum of the contrast along the search direction:

$$\mu_{\text{opt}} = \arg \max_k |\mathcal{K}(\mathbf{w} + \mu_k \mathbf{g})|. \quad (18)$$

This can be done at a negligible cost from the coefficients computed in step S1, as detailed in the Appendix.

S4) Update  $\mathbf{w}^+ = \mathbf{w} + \mu_{\text{opt}} \mathbf{g}$ .

S5) Normalize as in eqn. (10).

As in [10], the extracting vector normalization in step S5 is performed to fix the ambiguity introduced by the the scale invariance of contrast (3), and does not stem from prewhitening. The same stopping criterion as in FastICA [cf. eqn. (11)] can also be employed to check the convergence of the above algorithm. The generality of contrast (3) guarantees that RobustICA is able to separate real and complex (possibly non-circular) sources without any modification. These features will be illustrated in the experiments of Secs. IV–V.

### B. Extraction of sources with known kurtosis sign

The method described above aims at maximizing the absolute kurtosis, and is thus able to extract sources with positive or negative kurtosis. In many applications, some information may be known in advance about the source(s) of interest. For example, the atrial activity time-domain signal in atrial fibrillation electrocardiograms (Sec. V), and especially in atrial flutter episodes, typically lies

in the sub-Gaussian source subspace. The ventricular activity sources are usually impulsive and thus super-Gaussian. If only a few of these sources are desired, separating the whole mixture would incur an unnecessary computational cost and, in the case of sequential extraction, an increased source estimation inaccuracy due to error accumulation through successive deflation stages. A wiser alternative consists of extracting the desired type of sources exclusively.

RobustICA can easily be modified to deal with these situations by targeting a source with specific kurtosis sign  $\varepsilon$ . After computing the roots of the step-size polynomial, one simply needs to replace (18) by

$$\mu_{\text{opt}} = \arg \max_{\mu} \varepsilon \mathcal{K}(\mathbf{w} + \mu \mathbf{g}) \quad (19)$$

as best root selection criterion. If no source exists with the required kurtosis sign, the algorithm may converge to a non-extracting local extrema, but will tend to produce components with maximal or minimal kurtosis from the remaining signal subspace when  $\varepsilon = 1$  or  $\varepsilon = -1$ , respectively. The algorithm can also be run by combining global line maximizations (19) and (18) for sources with known and unknown kurtosis sign, respectively, in any desired order.

### C. Deflation

To extract more than one independent component, the Gram-Schmidt-type deflationary orthogonalization procedure proposed for FastICA [7], [8], [9] (see Sec. II-B) can also be used in conjunction with RobustICA under prewhitening, even if prewhitening is not mandatory for this method. After step S4, the updated extracting vector is constrained to lie in the orthogonal subspace of the extracting vectors previously found [eqn. (9)]. In the linear regression approach to deflation [10], after convergence of the search algorithm the contribution of the estimated source to the observations is computed via the minimum mean square error solution to the linear regression problem  $\mathbf{x} = \hat{\mathbf{h}}\hat{s}$ . The observations are then deflated as  $\mathbf{x} \leftarrow (\mathbf{x} - \hat{\mathbf{h}}\hat{s})$  before re-initializing the algorithm in the search for the next source. If prewhitening is not performed and the mixture is not unitary, orthogonalization is no longer an option and an alternative procedure like regression becomes compulsory.

### D. A quick look at convergence

The theoretical study of RobustICA's convergence characteristics in the general case is beyond the scope of the present paper. In the real-valued two-signal scenario, however, the algorithm converges to the global optimum in a single iteration, even without prewhitening. The proof relies on the scale invariance property of contrast (3) and follows straightforward geometrical arguments. Suppose that the initial (non-zero) extracting vector  $\mathbf{w}_0$  has an orientation of  $\alpha_1$  rad with respect to one of the

axis vectors spanning  $\mathbb{R}^2$ . In polar coordinates, the gradient can be expressed as  $\mathbf{g}_0 = \nabla\mathcal{K}(\mathbf{w}_0) = \frac{\partial\mathcal{K}(\mathbf{w}_0)}{r\partial\theta}\mathbf{u}_\theta + \frac{\partial\mathcal{K}(\mathbf{w}_0)}{\partial r}\mathbf{u}_r$ , where  $\mathbf{u}_\theta$  and  $\mathbf{u}_r$  denote the unit vectors in the radial and ortho-radial directions, respectively. The radial component can be computed as

$$\frac{\partial\mathcal{K}(\mathbf{w}_0)}{\partial r} = \lim_{\alpha \rightarrow 0} \frac{\mathcal{K}(\mathbf{w}_0 + \alpha\mathbf{u}_r) - \mathcal{K}(\mathbf{w}_0)}{\alpha} = 0 \quad (20)$$

since  $\mathbf{w}_0 \propto \mathbf{u}_r$  and the numerator is null for any  $\alpha$  by virtue of the contrast scale invariance. Vector  $\mathbf{g}_0$  is orthogonal to  $\mathbf{w}_0$  and its orientation is thus  $\alpha_2 = \alpha_1 \pm \pi/2$  rad. Now, as  $\mu$  varies, the orientation of vector  $\mathbf{w}_0 + \mu\mathbf{g}_0$  spans a  $\pi$ -rad interval, which corresponds to the full solution space up to admissible sign and scale ambiguities in the two-signal case. Hence, the optimal step-size technique described in Sec. III-A will find the global optimum of the absolute kurtosis contrast in a single step. Although this result is not easily generalized to more than two signals, it gives a glimpse of RobustICA's speed of convergence measured in terms of iterations. By construction of the algorithm, the OS procedure guarantees at least monotonic convergence of the kurtosis contrast to a local extremum for any initial condition (cf. [44], [45]). Also by construction, consecutive gradient vectors are orthogonal in the sense that  $\text{Re}\{\mathbf{g}^H\mathbf{g}^+\} = 0$ , with  $\mathbf{g}^+ = \nabla\mathcal{K}(\mathbf{w}^+)$ . This gradient orthogonality may slow down convergence in high-dimensional extracting vector spaces.

### E. Computational complexity

In the literature, complexity is commonly measured in terms of iterations. Such a measure is unfair in that an algorithm requiring few iterations to converge may involve heavy computations at each iteration. The average time taken by an algorithm to achieve a solution, another complexity measure used in some works [27], [34], does not take into account the fact that computation time depends on the actual algorithmic implementation. For instance, when using the popular Matlab technical computing environment, the execution time can be considerably reduced if loops are replaced by vector-wise operations. These observations point out that the number of real-valued floating point operations (flops) required for an algorithm to reach a solution arises as a more objective measure of complexity. A flop is considered as a product followed by an addition and, in practical implementations, would naturally correspond to a multiply-and-accumulate (MAC) cycle in a DSP. In the signal extraction problem, the total cost of the extraction can be computed as the product of the number of iterations, the cost per iteration per source and the number of extracted sources. The prewhitening stage, if performed, adds around  $2K^2T$  flops ( $8K^2T$  in the complex case) to the total cost when computing the economy SVD of the data matrix [54]. The complexity per source per sample is given by the total cost divided by  $KT$ .

Tables I–II summarize the main computations per iteration required by RobustICA and FastICA, respectively, for both the real-valued and complex-valued scenarios. Expectations are replaced by sample averages over the observed signal block. The sample size  $T$  is assumed to be sufficiently large, so that only dominant terms (with a cost depending on  $T$ ) are considered. For the sake of comparison, the complex extension of FastICA developed in [29], [30] (only valid for second-order circular sources) is considered in the corresponding column of Table II. The CFPA [31] and nc-FastICA [32] algorithms [eqn. (14)] have essentially the same cost as FastICA in the complex case; it suffices to add an initial burden of  $L(2L+1)T$  flops due to the computation of the pseudo-covariance matrix. The KM-F algorithm [34] [eqn. (13)] takes as many operations per iteration as RobustICA’s gradient computation, save for the term  $E\{|y|^4\}$ . In Table I, the first seven terms are first used to compute the gradient in eqn. (16) and some of them are then also employed for the optimal step-size polynomial coefficients. Note that the term  $E\{d\}$  is the same as  $E\{c\}$  in the real case, or can be derived with no products from the intermediate computations of  $E\{c\}$  in the complex case. Similar simplifications would be possible for terms  $E\{|a|\}$ ,  $E\{|b|\}$ , both in the real and complex cases, and  $E\{|a||b|\}$  in the real case, but are not considered herein. Even with such implementation dependent savings, RobustICA’s iterations are generally more expensive than FastICA’s and its variants. However, as will be demonstrated in the next section, each RobustICA iteration is more effective in the search of good extraction solutions, so that the overall complexity is actually lower than FastICA’s for the same extraction accuracy. Furthermore, in some cases FastICA cannot reach RobustICA’s accuracy.

#### IV. EXPERIMENTAL ANALYSIS

The following experimental analysis evaluates RobustICA’s convergence characteristics, source extraction quality and computational complexity in several simulation conditions involving synthetic data. In the real case (Secs. IV-A–IV-C), we use the original FastICA algorithm with cubic non-linearity [eqn. (7)] as a benchmark, as it offers the fastest convergence speed among the previously proposed kurtosis-based source extraction methods. In the complex case (Sec. IV-D), we compare RobustICA to recent FastICA variants capable of dealing with non-circular sources. The processing of real data is reported in Sec. V.

##### A. Robustness to saddle points

The first experiment tests the comparative convergence characteristics of RobustICA as well as its robustness to saddle points degrading the performance of the FastICA algorithm for short sample sizes [23]. Independent realizations of two uniformly distributed sources are mixed through Givens rotations of random angle  $\theta$ . The FastICA and RobustICA algorithms are run on the same mixed data

with a sufficiently small termination test  $\eta = 0.5 \times 10^{-6}$ . As a natural measure of extraction quality, we employ the signal mean square error (SMSE), a contrast-independent criterion defined as

$$\text{SMSE} = \frac{1}{K} \sum_{k=1}^K \mathbb{E}\{|s_k - \hat{s}_k|^2\}. \quad (21)$$

The estimated sources  $\{\hat{s}_k\}_{k=1}^K$  are optimally permuted and scaled before evaluating this performance index. In this setting, the global matrix  $\mathbf{G} = \mathbf{W}^T \mathbf{H}$  is also a Givens rotation of parameter  $\Delta\theta = (\theta - \hat{\theta})$ , where  $\hat{\theta}$  is the rotation angle implicitly estimated by the separation methods. For a particular signal realization, Fig. 1 plots the contrast functions of the respective algorithms [kurtosis (3) for RobustICA and fourth-order moment (4) for FastICA] over the optimization interval. The small sample size (here 50 samples) smears FastICA's contrast function, whose local minima tend to form saddle regions while moving away from the valid separation solutions  $\Delta\theta = k\pi/2$  rad,  $k \in \mathbb{Z}$ . The negative impact of short data length is less manifest for the kurtosis contrast optimized by RobustICA. This result is supported by the finite sample analysis of [15], where the kurtosis is shown to present lower variance than the fourth-order moment. For the particular initialization shown in Fig. 1(a), FastICA gets trapped inside a saddle area between two separation solutions, yielding a final SMSE of  $-7.8$  dB after 29 iterations. Depending on the initialization, FastICA can also converge to the other local minimum with SMSE =  $-13.4$  dB, taking up to 24 iterations [cf. Fig. 1(b)]. By contrast, RobustICA consistently converges to the solutions near  $\Delta\theta = \pm\pi/2$  rad with  $-22.2$ -dB SMSE in a single iteration for all initializations, as expected from the theoretical analysis of Sec. III-D. Figure 2 shows the scatter plot of final SMSE values for both methods over 1000 independent mixture realizations; Table III summarizes the average performance parameters for different sample size values between 50 and 150. These results confirm RobustICA's faster more robust performance, specially for short data sizes. The algorithm's robustness to initialization is also demonstrated in [37].

### B. Performance-complexity trade-off

A wireless telecommunications scenario is simulated by considering noiseless orthogonal random mixtures of  $K$  unit-power independent BPSK sources observed at the output of an  $L = K$  element array in signal blocks of  $T$  samples. The search for each extracting vector is initialized with the corresponding canonical basis vector, and is stopped at a fixed number of iterations. The SMSE performance index (21) is averaged over 1000 independent random realizations of the sources and the mixing matrix. Extraction solutions are computed directly from the observed unitary mixtures ('FastICA' and 'RobustICA' legend labels) and after a prewhitening stage based on the SVD of the observed data matrix ('pw+FastICA', 'pw+RobustICA').



Fig. 3 summarizes the performance-complexity variation obtained for  $T = 150$  samples and different values of the mixture size  $K$ . The best fastest performance is provided by RobustICA without prewhitening: a given performance level is achieved with lower cost or, alternatively, an improved extraction quality is reached with a given complexity. The use of prewhitening worsens RobustICA's performance-complexity trade-off and, due to the finite sample size, imposes the same SMSE bound for two methods. Using prewhitening, FastICA improves considerably and becomes slightly faster than RobustICA, specially when the mixture size increases. Fig. 4 displays the quality-cost trade-off for  $K = 10$  sources and different block length values. Improved performance bounds can be achieved by RobustICA if avoiding prewhitening, even for short data sizes.

### C. Efficiency

We now evaluate the methods' performance for a varying block sample size  $T$ . Extractions are obtained by limiting the number of iterations per source, as explained above. To make the comparison meaningful, the overall complexity is fixed at 400 flops/source/sample for all tested methods. Accordingly, since RobustICA is more costly per iteration than FastICA, it performs fewer iterations per source. Fig. 5 displays the average SMSE curves for different number of sources  $K$ . For moderate  $K$ , RobustICA is considerably more efficient than the other methods, as shown by the steeper slope of its curve, achieving the same extraction performance with much smaller signal blocks. Prewhitening smoothens FastICA's and RobustICA's performance trends, which become comparable. As  $K$  increases, FastICA with prewhitening becomes more efficient.

In a similar experiment involving noisy data with  $K = 10$  sources [38], RobustICA attains the MMSE bound for block sizes of about 1000 samples for SNR levels from 10 dB to 40 dB; the required block size decreases for smaller  $K$ . FastICA requires longer block sizes, particularly for noisier conditions. The use of prewhitening worsens the performance-complexity ratio of RobustICA while improving that of FastICA, making both methods' efficiency comparable.

### D. Complex-valued mixtures

To briefly test RobustICA's performance on complex-valued synthetic mixtures of non-circular sources, we repeat the experiment of Sec. IV-B but using random unitary mixing matrices. The method is compared with the KM-F algorithm of [34] and the nc-FastICA algorithm of [32] with kurtosis-based non-linearity, similar to the CFPA algorithm of [31] (Sec. II-C). The quality-cost trade-off of the three algorithms for different block sizes is shown in Fig. 6. Once more, without the performance limitations imposed by prewhitening, RobustICA proves superior to the other methods. Performances become similar under prewhitening.

## V. PROCESSING REAL DATA WITH ROBUSTICA

Although good performance is obtained with sub-Gaussian sources [23] as in the above numerical experiments, the use of kurtosis as a general contrast function has been discouraged on the basis of poor asymptotic efficiency for super-Gaussian sources and lack of robustness to outliers [6]. This section reports a biomedical application involving complex non-circular strongly super-Gaussian sources where the kurtosis contrast, optimized by the RobustICA technique, shows satisfactory results.

### A. Atrial activity extraction in atrial fibrillation episodes

Atrial fibrillation (AF) is the most common cardiac arrhythmia encountered in clinical practice, affecting up to 10% of the population over 70 years of age [55]. The trouble is characterized by an abnormal atrial electrical activation, whereby the organized wavefront propagation in normal sinus rhythm is replaced by several wavelets wandering around the atria in a disorganized manner. This disorderly electrical activation causes an inefficient atrial mechanical function and leads to an increased risk of blood-clot formation and stroke. Despite its incidence, prevalence and risks of serious complications, the understanding of the generation and self-perpetuation mechanisms of this disease is still unsatisfactory.

Over recent years, signal processing has helped cardiologists in shedding some light over AF, as certain features of the atrial activity (AA) signal recorded in the surface ECG provide information about the arrhythmia. The dominant frequency of the AA signal is shown to be related to the refractory period of atrial myocardium cells, and thus to the degree of evolution of the disease and the probability of spontaneous cardioversion (return to normal sinus rhythm) [56], [57]. The analysis and characterization of AA from the ECG requires the previous suppression of interference such as the QRS-T complex of ventricular electrical activation (or ventricular activity, VA), artifacts and noise. Figure 7(top) shows a 5-second segment of precordial lead V1 from an AF patient's ECG; its power spectral density, estimated through Welch's averaged periodogram method as in [58] (averaged 8192-point FFT of 4096-point Hamming-windowed segments with 50% overlap), is shown in Fig. 8(top). The mixture of VA and AA can usually be perceived in this lead as one of its electrodes lies close to the atria.

A recent approach to AA extraction relies on the observation that AA and VA can be considered statistically independent phenomena [59]. Techniques for the separation of independent signals such as PCA and ICA can then be applied on the 12-lead ECG to search for the AA source, thus allowing the reconstruction of AA in all leads free from VA and other interference. Prior information on the atrial source, in particular its narrowband character and near-Gaussian behaviour, can be exploited to improve AA extraction performance. In [58], the kurtosis-based FastICA method is first applied

to extract impulsive interference, essentially the VA, from the ECG recording. The other sources contain mixtures of AA and noise, which, through a kurtosis-based test, are selected and passed on as inputs to the second-order blind identification (SOBI) method [60]. Through the joint approximate diagonalization of the input correlation matrices at several time lags, SOBI is particularly suited to the separation of narrowband sources. In this application, the correlation lags are chosen in accordance with typical AF cycle length values [58].

### *B. Application of RobustICA to AA extraction*

AA is a narrowband signal, so that its frequency-domain representation is sparse and can thus be considered to stem from an impulsive distribution with high kurtosis value. Relying on this simple observation, RobustICA can be applied on the ECG recording after transformation into the frequency domain. It is expected that the  $f$ -domain AA source be found among the first extracted components (typically those with higher kurtosis values); its time course can then be recovered by transforming back into the time domain.

This idea is tested on a database of 35 standard ECG segments recorded from 34 different AF sufferers. Each segment represents an observation window of around 12 seconds sampled at 1 kHz. Baseline wander and high-frequency interference are suppressed by zero-phase Chebyshev type-II highpass and lowpass filters with cut-off frequencies of 0.5 and 30 Hz, respectively. The filtered 12-lead ECG data are then spatially prewhitened before being passed on to the FastICA-SOBI method of [58], which performs all operations in the time domain. Concerning the RobustICA method, the prewhitened filtered recordings are first transformed into the frequency domain by the zero-padded 16384-point FFT. The sources extracted in the  $f$ -domain are then transformed back to the time domain via the IFFT and truncated to their original length for further analysis. The AA source is automatically selected as the extracted component with dominant peak in the interval [3, 9] Hz, the typical AF frequency band. The percentage of signal power around the dominant peak, or spectral concentration (SC), has been shown to correlate with AA extraction quality [58], and is hence used as a measure of performance. Power spectra are estimated by Welch's method with the same parameters as in [58]. The same initialization, maximum number of iterations per source and termination criterion are used for FastICA and RobustICA.

Figure 7(middle)–(bottom) shows a 5-second segment of the AA reconstructed by the two methods in lead V1 from the first patient of the AF ECG database. The corresponding frequency spectra, together with the estimated dominant peak position and the associated SC values, are shown in Fig. 8(middle)–(bottom). As can be seen in the intervals between successive heartbeats, RobustICA obtains a more accurate estimate of the AA taking place in lead V1, as quantified by a higher SC

value, requiring a total of 698 iterations or around  $2721.8 \times 10^6$  flops to separate the whole mixture (53 iterations or  $206.7 \times 10^6$  flops if stopped at the AA source, found in the 3rd extracted component), for 1178 iterations or  $391.1 \times 10^6$  flops by FastICA (AA source in the 9th component). Performance parameters averaged over the whole dataset are summarized in Table IV. A cost of about  $3.5 \times 10^6$  flops due to prewhitening should be added to the complexity figures. If stopped at the AA source, RobustICA only requires an average of  $62 \pm 41$  iterations or  $241.3 \pm 159.9 \times 10^6$  flops. Remark that, according to Tables I–II, RobustICA’s cost per iteration is about an order of magnitude greater than FastICA’s in this particular setting. These results confirm that RobustICA achieves an improved AA signal extraction quality with virtually identical dominant frequency estimate at a comparable complexity relative to the alternative two-stage technique. As a measure of second-order circularity, the ratio  $|\mathbb{E}\{s^2\}|/\mathbb{E}\{|s|^2\}$  averaged over all  $f$ -domain sources extracted by RobustICA is  $0.85 \pm 0.02$ . Since the non-circular second-order moment  $\mathbb{E}\{s^2\}$  cannot be considered to be null, complex-valued extensions of FastICA such as those proposed in [29], [30] would not be expected to perform well in this context; more recent variants such as the KM-F and nc-FastICA algorithms [34], [32] (Sec. II-C) should be more successful. More importantly, the average kurtosis of the frequency-domain sources extracted by RobustICA in the frequency domain is 231, whereas that of the AA sources equals 731. These are strongly super-Gaussian signals.

## VI. CONCLUSIONS

Kurtosis has long been known to be a valid contrast for independent source extraction in instantaneous as well as convolutive linear mixtures, whether the sources are real or complex, circular or non-circular, sub-Gaussian or super-Gaussian, and whether prewhitening is performed or not. The global maximizer of this contrast across the search direction can be obtained algebraically at each extracting filter update iteration, giving rise to the RobustICA method developed in this work. Among other interesting features naturally inherited from the kurtosis contrast, RobustICA can process real- and complex-valued (possibly non-circular) sources and does not require prewhitening. As a result, the method is more tolerant than whitening-based techniques to residual source correlations likely to appear in short data records. In addition, the optimal step-size approach endows the method with an increased robustness to initialization and saddle points. The computational complexity required to reach a given source extraction quality has been put forward as a natural objective measure of convergence speed for BSS/ICA algorithms. Without the performance limitations imposed by second-order preprocessing (whitening), RobustICA proves computationally faster and more efficient than the popular kurtosis-based FastICA algorithm with asymptotic cubic global convergence and some of its most recent variants. RobustICA’s ability to process real-world non-circular complex strongly super-

Gaussian signals has been successfully illustrated by the extraction of atrial activity in atrial fibrillation ECG recordings. In conclusion, the RobustICA method, although conceptually simple, presents a number of benefits that make it particularly attractive in practical BSS/ICA settings. Extensions to convolutive scenarios such as blind SISO and MIMO channel deconvolution are also possible with few modifications. An illustration of the optimal step-size technique on the kurtosis contrast in the SISO case is reported in [46]. The MIMO case calls essentially for the definition of appropriate deflation procedures along the lines of [10], which should be the subject of fresh investigations. Increasing the method's ability to handle outliers through more robust cumulant estimates is another interesting topic of further research.

#### ACKNOWLEDGEMENTS

The ECG recording database used in the experiments of Section V were kindly made available by the Hemodynamics Department, Clinical University Hospital and the Bioengineering, Electronics and Telemedicine Research Group, Polytechnic University, Valencia, Spain.

#### APPENDIX

##### DERIVATION OF THE OPTIMAL STEP-SIZE POLYNOMIAL

Contrast  $\mathcal{K}$  evaluated at  $\mathbf{w} + \mu\mathbf{g}$  becomes a function of  $\mu$  only, and is given by the rational fraction

$$\mathcal{K}(\mu) = \frac{\mathbb{E}\{|y'|^4\} - |\mathbb{E}\{y'^2\}|^2}{\mathbb{E}^2\{|y'|^2\}} - 2 = \frac{P(\mu)}{Q^2(\mu)} - 2 \quad (22)$$

where  $y' = y + \mu g$ ,  $y = \mathbf{w}^H \mathbf{x}$ ,  $g = \mathbf{g}^H \mathbf{x}$ ,  $P(\mu) = P_1(\mu) - |P_2(\mu)|^2$ ,  $P_1(\mu) = \mathbb{E}\{|y'|^4\}$ ,  $P_2(\mu) = \mathbb{E}\{y'^2\}$  and  $Q(\mu) = \mathbb{E}\{|y'|^2\}$ . Let us denote

$$a = y^2 \quad b = g^2 \quad c = yg \quad d = \Re(yg^*). \quad (23)$$

After some tedious but otherwise straightforward algebraic manipulations, the above polynomials turn out to be:

$$P(\mu) = \sum_{k=0}^4 h_k \mu^k \quad Q(\mu) = \sum_{k=0}^2 i_k \mu^k \quad (24)$$

where

$$h_0 = \mathbb{E}\{|a|^2\} - |\mathbb{E}\{a\}|^2 \quad (25)$$

$$h_1 = 4\mathbb{E}\{|a|d\} - 4\Re(\mathbb{E}\{a\}\mathbb{E}\{c\})$$

$$h_2 = 4\mathbb{E}\{d^2\} + 2\mathbb{E}\{|a||b|\} - 4|\mathbb{E}\{c\}|^2 - 2\Re(\mathbb{E}\{a\}\mathbb{E}\{b\})$$

$$h_3 = 4\mathbb{E}\{|b|d\} - 4\Re(\mathbb{E}\{b\}\mathbb{E}\{c\})$$

$$h_4 = \mathbb{E}\{|b|^2\} - |\mathbb{E}\{b\}|^2$$

$$i_0 = \mathbb{E}\{|a|\}, \quad i_1 = 2\mathbb{E}\{d\}, \quad i_2 = \mathbb{E}\{|b|\}. \quad (26)$$

Hence, the derivative of  $\mathcal{K}(\mathbf{w} + \mu\mathbf{g})$  with respect to  $\mu$  reads

$$\dot{\mathcal{K}}(\mu) = \frac{\dot{P}(\mu)Q(\mu) - 2P(\mu)\dot{Q}(\mu)}{Q^3(\mu)} = \frac{p(\mu)}{Q^3(\mu)} \quad (27)$$

Relating eqns. (24)–(27), polynomial  $p(\mu)$  is given by eqn. (17) with

$$\begin{aligned} a_0 &= -2h_0i_1 + h_1i_0 & a_1 &= -4h_0i_2 - h_1i_1 + 2h_2i_0 \\ a_2 &= -3h_1i_2 + 3h_3i_0 & a_3 &= -2h_2i_2 + h_3i_1 + 4h_4i_0 \\ a_4 &= -h_3i_2 + 2h_4i_1. \end{aligned}$$

The real parts of the roots of this polynomial are the step-size candidates to be found in step S2 of the algorithm (Sec. III-A). These candidates are then plugged back into eqns. (22)–(24) to check which one provides the optimum value of  $|\mathcal{K}(\mathbf{w} + \mu\mathbf{g})|$ , or of  $\varepsilon\mathcal{K}(\mathbf{w} + \mu\mathbf{g})$  if the alternative procedure of Sec. III-B is employed; this is the optimal step-size sought in step S3 of the algorithm.

#### REFERENCES

- [1] J. Héroult, C. Jutten, and B. Ans, “Détection de grandeurs primitives dans un message composite par une architecture neuromimétique en apprentissage non supervisé,” in *Actes 10ème Colloque GRETSI*, Nice, France, May 20–24, 1985, pp. 1017–1022.
- [2] P. Comon, “Independent component analysis, a new concept?” *Signal Processing*, vol. 36, no. 3, pp. 287–314, Apr. 1994, Special Issue on Higher-Order Statistics.
- [3] J.-F. Cardoso and A. Souloumiac, “Blind beamforming for non-Gaussian signals,” *IEE Proceedings-F*, vol. 140, no. 6, pp. 362–370, Dec. 1993.
- [4] N. Delfosse and P. Loubaton, “Adaptive blind separation of independent sources: a deflation approach,” *Signal Processing*, vol. 45, no. 1, pp. 59–83, July 1995.
- [5] A. Hyvärinen, “A family of fixed-point algorithms for independent component analysis,” in *Proc. ICASSP-97, 22nd IEEE International Conference on Acoustics, Speech and Signal Processing*, Munich, Germany, Apr. 20–24, 1997, pp. 3917–3920.
- [6] —, “One-unit contrast functions for independent component analysis: a statistical analysis,” in *Proc. IEEE Neural Networks for Signal Processing (NNSP) Workshop*, Amelia Island, FL, 1997, pp. 388–397.
- [7] A. Hyvärinen and E. Oja, “A fast fixed-point algorithm for independent component analysis,” *Neural Computation*, vol. 9, no. 7, pp. 1483–1492, Oct. 1997.
- [8] A. Hyvärinen, “Fast and robust fixed-point algorithms for independent component analysis,” *IEEE Transactions on Neural Networks*, vol. 10, no. 3, pp. 626–634, May 1999.
- [9] A. Hyvärinen, J. Karhunen, and E. Oja, *Independent Component Analysis*. New York: John Wiley & Sons, 2001.
- [10] J. K. Tugnait, “Identification and deconvolution of multichannel linear non-Gaussian processes using higher order statistics and inverse filter criteria,” *IEEE Transactions on Signal Processing*, vol. 45, no. 3, pp. 658–672, Mar. 1997.
- [11] D. T. Pham and P. Garat, “Blind separation of mixture of independent sources through aquasi-maximum likelihood approach,” *IEEE Transactions on Signal Processing*, vol. 45, no. 7, pp. 1712–1725, July 1997.
- [12] J.-F. Cardoso, “Blind signal separation: statistical principles,” *Proceedings of the IEEE*, vol. 86, no. 10, pp. 2009–2025, Oct. 1998.

- [13] —, “Higher-order contrasts for independent component analysis,” *Neural Computation*, vol. 11, pp. 157–192, 1999.
- [14] P. Comon, “Tensor diagonalization, a useful tool in signal processing,” in *Proc. IFAC-SYSD, 10th IFAC Symposium on System Identification*, M. Blanke and T. Soderstrom, Eds., vol. 1, Copenhagen, Denmark, July 4–6, 1994, pp. 77–82, invited session.
- [15] S. Bermejo, “Finite sample effects in higher order statistics contrast functions for sequential blind source separation,” *IEEE Signal Processing Letters*, vol. 12, no. 6, pp. 481–484, June 2005.
- [16] V. Zarzoso, R. Phlypo, and P. Comon, “A contrast for independent component analysis with priors on the source kurtosis signs,” *IEEE Signal Processing Letters*, vol. 15, pp. 501–504, 2008.
- [17] J.-F. Cardoso and B. H. Laheld, “Equivariant adaptive source separation,” *IEEE Transactions on Signal Processing*, vol. 44, no. 12, pp. 3017–3030, Dec. 1996.
- [18] P. Comon and E. Moreau, “Improved contrast dedicated to blind separation in communications,” in *Proc. ICASSP-97, 22nd IEEE International Conference on Acoustics, Speech and Signal Processing*, Munich, Germany, Apr. 20–24, 1997, pp. 3453–3456.
- [19] R. A. Wiggins, “Minimum entropy deconvolution,” *Geophysical Research Letters*, vol. 16, pp. 21–35, 1978.
- [20] D. Donoho, “On minimum entropy deconvolution,” in *Proc. 2nd Applied Time Series Analysis Symposium*, Tulsa, OK, 1980, pp. 565–608.
- [21] O. Shalvi and E. Weinstein, “New criteria for blind deconvolution of nonminimum phase systems (channels),” *IEEE Transactions on Information Theory*, vol. 36, no. 2, pp. 312–321, Mar. 1990.
- [22] S. C. Douglas, “On the convergence behavior of the FastICA algorithm,” in *Proc. ICA-2003, 4th International Symposium on Independent Component Analysis and Blind Signal Separation*, Nara, Japan, Apr. 1–4, 2003, pp. 409–414.
- [23] P. Tichavský, Z. Koldovský, and E. Oja, “Performance analysis of the FastICA algorithm and Cramér-Rao bounds for linear independent component analysis,” *IEEE Transactions on Signal Processing*, vol. 54, no. 4, pp. 1189–1203, Apr. 2006.
- [24] E. Oja and Z. Yuan, “The FastICA algorithm revisited: convergence analysis,” *IEEE Transactions on Neural Networks*, vol. 17, no. 6, pp. 1370–1381, Nov. 2006.
- [25] X. Giannakopoulos, J. Karhunen, and E. Oja, “An experimental comparison of neural algorithms for independent component analysis and blind separation,” *International Journal of Neural Systems*, vol. 9, no. 2, pp. 99–114, Apr. 1998.
- [26] P. Chevalier, L. Albera, P. Comon, and A. Ferreol, “Comparative performance analysis of eight blind source separation methods on radiocommunications signals,” in *Proc. International Joint Conference on Neural Networks*, Budapest, Hungary, July 25–29, 2004.
- [27] Z. Koldovský, P. Tichavský, and E. Oja, “Efficient variant of algorithm FastICA for independent component analysis attaining the cramer-rao lower bound,” *IEEE Transactions on Neural Networks*, vol. 17, no. 5, pp. 1265–1277, Sept. 2006.
- [28] J.-F. Cardoso, “On the performance of orthogonal source separation algorithms,” in *Proc. EUSIPCO-94, VII European Signal Processing Conference*, Edinburgh, UK, Sept. 1994, pp. 776–779.
- [29] E. Bingham and A. Hyvärinen, “A fast fixed-point algorithm for independent component analysis of complex valued signals,” *International Journal of Neural Systems*, vol. 10, no. 1, pp. 1–8, Feb. 2000.
- [30] T. Ristaniemi and J. Joutsensalo, “Advanced ICA-based receivers for block fading DS-SS channels,” *Signal Processing*, vol. 82, no. 3, pp. 417–431, Mar. 2002.
- [31] S. C. Douglas, “Fixed-point algorithms for the blind separation of arbitrary complex-valued non-Gaussian signal mixtures,” *EURASIP Journal on Advances in Signal Processing*, 2007.

- [32] M. Novey and T. Adali, "On extending the complex FastICA algorithm to noncircular sources," *IEEE Transactions on Signal Processing*, vol. 56, no. 5, pp. 2148–2154, May 2008.
- [33] —, "Complex ICA by negentropy maximization," *IEEE Transactions on Neural Networks*, vol. 19, no. 4, pp. 596–609, Apr. 2008.
- [34] H. Li and T. Adali, "A class of complex ICA algorithms based on the kurtosis cost function," *IEEE Transactions on Neural Networks*, vol. 19, no. 3, pp. 408–420, Mar. 2008.
- [35] E. Moreau and O. Macchi, "A one stage self-adaptive algorithm for source separation," in *Proc. ICASSP-94, 19th IEEE International Conference on Acoustics, Speech and Signal Processing*, vol. 3, Apr. 1994, pp. 49–52.
- [36] —, "Complex self-adaptive algorithms for source separation based on high order contrasts," in *Proc. EUSIPCO-94, VII European Signal Processing Conference*, Edinburgh, UK, Sept. 13–16, 1994, pp. 1157–1160.
- [37] V. Zarzoso, P. Comon, and M. Kallel, "How fast is FastICA?" in *Proc. EUSIPCO-2006, XIV European Signal Processing Conference*, Florence, Italy, Sept. 4–8, 2006.
- [38] V. Zarzoso and P. Comon, "Comparative speed analysis of FastICA," in *Proc. ICA-2007, 7th International Conference on Independent Component Analysis and Signal Separation*, London, UK, Sept. 9–12, 2007, pp. 293–300.
- [39] —, "Robust independent component analysis for blind source separation and extraction with application in electrocardiography," in *Proc. EMBC-2008, 30th Annual International Conference of the IEEE Engineering in Medicine and Biology Society*, Vancouver, BC, Canada, Aug. 20–24, 2008, pp. 3344–3347.
- [40] W. H. Press, S. A. Teukolsky, W. T. Vetterling, and B. P. Flannery, *Numerical Recipes in C. The Art of Scientific Computing*, 2nd ed. Cambridge, UK: Cambridge University Press, 1992.
- [41] A. M. Kuzminskiy, "Automatic choice of the adaption coefficient under nonstationary conditions," *Radioelectronics and Communications Systems*, vol. 25, no. 4, pp. 72–74, Apr. 1982.
- [42] —, "A robust step size adaptation scheme for LMS adaptive filters," in *Proc. DSP'97, 13th International Conference on Digital Signal Processing*, vol. 1, Santorini, Greece, July 2–4, 1997.
- [43] N. D. Gaubitch, M. Kamrul Hasan, and P. A. Naylor, "Generalized optimal step-size for blind multichannel LMS system identification," *IEEE Signal Processing Letters*, vol. 13, no. 10, pp. 624–627, Oct. 2006.
- [44] P. A. Regalia, "A finite-interval constant modulus algorithm," in *Proc. ICASSP-2002, 27th International Conference on Acoustics, Speech and Signal Processing*, vol. III, Orlando, FL, May 13–17, 2002, pp. 2285–2288.
- [45] P. A. Regalia and E. Kofidis, "Monotonic convergence of fixed-point algorithms for ICA," *IEEE Transactions on Neural Networks*, vol. 14, no. 4, pp. 943–949, July 2003.
- [46] V. Zarzoso and P. Comon, "Blind channel equalization with algebraic optimal step size," in *Proc. EUSIPCO-2005, XIII European Signal Processing Conference*, Antalya, Turkey, Sept. 4–8, 2005.
- [47] —, "Semi-blind constant modulus equalization with optimal step size," in *Proc. ICASSP-2005, 30th International Conference on Acoustics, Speech and Signal Processing*, vol. III, Philadelphia, PA, Mar. 18–23, 2005, pp. 577–580.
- [48] —, "Blind and semi-blind equalization based on the constant power criterion," *IEEE Transactions on Signal Processing*, vol. 53, no. 11, pp. 4363–4375, Nov. 2005.
- [49] —, "Optimal step-size constant modulus algorithm," *IEEE Transactions on Communications*, vol. 56, no. 1, pp. 10–13, Jan. 2008.
- [50] D. H. Brandwood, "A complex gradient operator and its application in adaptive array theory," *IEE Proceedings F: Communications Radar and Signal Processing*, vol. 130, no. 1, pp. 11–16, Feb. 1983.
- [51] D. N. Godard, "Self-recovering equalization and carrier tracking in two-dimensional data communication systems," *IEEE Transactions on Communications*, vol. 28, no. 11, pp. 1867–1875, Nov. 1980.
- [52] O. Grellier and P. Comon, "Blind separation of discrete sources," *IEEE Signal Processing Letters*, vol. 5, no. 8, pp. 212–214, Aug. 1998.



- [53] “RobustICA package.” [Online]. Available: [www.i3s.unice.fr/~zarzoso/robustica.html](http://www.i3s.unice.fr/~zarzoso/robustica.html)
- [54] G. H. Golub and C. F. Van Loan, *Matrix Computations*, 3rd ed. Baltimore, MD: The John Hopkins University Press, 1996.
- [55] V. Fuster, L. E. Rydén, D. S. Cannom, H. J. Crijns, A. B. Curtis, *et al.*, “ACC/AHA/ESC guidelines for the management of patients with atrial fibrillation – executive summary,” *Circulation*, vol. 114, no. 7, pp. 700–752, 2006.
- [56] A. Bollmann, N. K. Kanuru, K. K. McTeague, P. F. Walter, D. B. DeLurgio, and J. J. Langberg, “Frequency analysis of human atrial fibrillation using the surface electrocardiogram and its response to Ibutilide,” *American Journal of Cardiology*, vol. 81, no. 12, pp. 1439–1445, June 1998.
- [57] A. Bollmann, D. Husser, L. Mainardi, F. Lombardi, P. Langley, *et al.*, “Analysis of surface electrocardiograms in atrial fibrillation: techniques, research, and clinical applications,” *Europace*, vol. 8, no. 11, pp. 911–926, 2006.
- [58] F. Castells, J. J. Rieta, J. Millet, and V. Zarzoso, “Spatiotemporal blind source separation approach to atrial activity estimation in atrial tachyarrhythmias,” *IEEE Transactions on Biomedical Engineering*, vol. 52, no. 2, pp. 258–267, Feb. 2005.
- [59] J. J. Rieta, F. Castells, C. Sánchez, V. Zarzoso, and J. Millet, “Atrial activity extraction for atrial fibrillation analysis using blind source separation,” *IEEE Transactions on Biomedical Engineering*, vol. 51, no. 7, pp. 1176–1186, July 2004.
- [60] A. Belouchrani, K. Abed-Meraim, J.-F. Cardoso, and E. Moulines, “A blind source separation technique using second-order statistics,” *IEEE Transactions on Signal Processing*, vol. 45, no. 2, pp. 434–444, Feb. 1997.

## Tables

TABLE I

COMPUTATIONAL COMPLEXITY PER ITERATION IN TERMS OF NUMBER OF REAL-VALUED FLOPS FOR THE ROBUSTICA METHOD. SIGNAL BLOCKS ARE COMPOSED OF  $T$  SAMPLES OBSERVED AT THE OUTPUT OF  $L$  SENSORS.

Term	Real Case	Complex Case
$y = \mathbf{w}^H \mathbf{x}$	$LT$	$4LT$
$E\{a\} = E\{y^2\}$	$T$	$3T$
$E\{ a \} = E\{ y ^2\}$	$T$	$2T$
$E\{ a ^2\} = E\{ y ^4\}$	$T$	$T$
$E\{y\mathbf{x}\}$	$LT$	$4LT$
$E\{y^* \mathbf{x}\}$	$LT$	$4LT$
$E\{ y ^2 y^* \mathbf{x}\}$	$LT$	$2LT$
$g = \mathbf{g}^H \mathbf{x}$	$LT$	$4LT$
$E\{b\} = E\{g^2\}$	$T$	$3T$
$E\{ b \} = E\{ g ^2\}$	$T$	$2T$
$E\{ b ^2\} = E\{ g ^4\}$	$T$	$T$
$E\{c\} = E\{yg\}$	$T$	$4T$
$E\{d\} = E\{\mathbf{Re}(yg^*)\}$	$T$	$2T$
$E\{d^2\} = E\{\mathbf{Re}^2(yg^*)\}$	$T$	$T$
$E\{ a d\} = E\{ y ^2 \mathbf{Re}(yg^*)\}$	$T$	$T$
$E\{ b d\} = E\{ g ^2 \mathbf{Re}(yg^*)\}$	$T$	$T$
$E\{ a  b \} = E\{ y ^2  g ^2\}$	$T$	$T$
<b>TOTAL:</b>	$(5L + 12)T$	$(18L + 22)T$

TABLE II

COMPUTATIONAL COMPLEXITY PER ITERATION IN TERMS OF NUMBER OF REAL-VALUED FLOPS PER ITERATION FOR THE KURTOSIS-BASED FASTICA METHOD. SIGNAL BLOCKS ARE COMPOSED OF  $T$  SAMPLES OBSERVED AT THE OUTPUT OF  $L$  SENSORS.

Term	Real Case	Complex Case
$y = \mathbf{w}^H \mathbf{x}$	$LT$	$4LT$
$y^*  y ^2$	$2T$	$4T$
$E\{\mathbf{x}y^*  y ^2\}$	$LT$	$4LT$
TOTAL:	$(2L + 2)T$	$(8L + 4)T$

TABLE III

AVERAGE PERFORMANCE PARAMETERS FOR THE EXPERIMENTS ON REAL-VALUED MIXTURES OF SEC. IV-A AND

FIG. 2. SYMBOL  $[\cdot]$  DENOTES THE CLOSEST INTEGER.

$T$	method	SMSE (dB)	iterations ([mean] $\pm$ [std])	flops $\times 10^3$ (mean $\pm$ std)	cases with SMSE $> -10$ dB
50	FastICA	-11.6	14 $\pm$ 56	4.1 $\pm$ 16.8	240
	RobustICA	-19.0	1 $\pm$ 0	1.1 $\pm$ 0	18
100	FastICA	-14.7	7 $\pm$ 6	4.1 $\pm$ 3.8	79
	RobustICA	-23.1	1 $\pm$ 0	2.2 $\pm$ 0	0
150	FastICA	-17.0	6 $\pm$ 6	5.3 $\pm$ 5.1	20
	RobustICA	-25.1	1 $\pm$ 0	3.3 $\pm$ 0	0


TABLE IV

ATRIAL ACTIVITY EXTRACTION IN ATRIAL FIBRILLATION EPISODES: SPECTRAL CONCENTRATION (SC), POSITION OF DOMINANT SPECTRAL PEAK ( $f_p$ ), NUMBER OF ITERATIONS, ALGORITHMIC COMPLEXITY AND POSITION OF ESTIMATED


AA SOURCE AVERAGED OVER THE 35 ECG RECORDINGS.

Method	SC (%) (mean $\pm$ std)	$f_p$ (Hz) (mean $\pm$ std)	iterations ([mean] $\pm$ [std])	flops $\times 10^6$ (mean $\pm$ std)	AA source position (median $\pm$ [std])
FastICA-SOBI	48.55 $\pm$ 17.06	5.40 $\pm$ 1.18	1245 $\pm$ 934	406.2 $\pm$ 302.8	9 $\pm$ 2
RobustICA	55.67 $\pm$ 16.78	5.41 $\pm$ 1.18	202 $\pm$ 99	786.9 $\pm$ 387.4	3 $\pm$ 2

## Figures



(a)



(b)

Fig. 1. Contrast function values and trajectories for an orthogonal mixture realization of two uniformly distributed sources composed of  $T = 50$  samples. Dashed line: FastICA's contrast function (4). Solid line: RobustICA's contrast function (3). Triangle markers: initial positions. Cross markers: algorithms' solutions after each iteration. Round markers: final solutions. Vertical dotted lines: satisfactory separation solutions up to sign and permutation. Subplots (a)–(b) correspond to two different extracting vector initializations over the same mixture realization.




Fig. 2. Extraction quality scatter plots for the FastICA and RobustICA algorithms with random orthogonal mixtures of two uniformly distributed sources composed of  $T = 50$  samples. Termination parameter  $\eta = 0.5 \times 10^{-6}$ , 1000 independent trials.




Fig. 3. Average extraction quality as a function of computational cost for different mixture sizes  $K$ , with signal blocks of  $T = 150$  samples. Solid lines:  $K = 5$ . Dashed lines:  $K = 10$ . Dotted lines:  $K = 20$ .




Fig. 4. Average extraction quality as a function of computational cost for different sample sizes  $T$ , with mixture size  $K = 10$  sources. Solid lines:  $T = 50$ . Dashed lines:  $T = 100$ . Dotted lines:  $T = 150$ .






Fig. 5. Average extraction quality as a function of block length for different mixture sizes with complexity fixed at 400 flops/source/sample. Solid lines:  $K = 5$ . Dashed lines:  $K = 10$ . Dotted lines:  $K = 20$ .



(a)



(b)

Fig. 6. Average extraction quality as a function of computational cost for different sample sizes  $T$ , with mixture size  $K = 10$  sources. Solid lines:  $T = 50$ . Dashed lines:  $T = 100$ . Dotted lines:  $T = 150$ . (a) Without prewhitening. (b) With prewhitening.




Fig. 7. Atrial activity extraction in atrial fibrillation ECGs. Top: a 5-second segment of lead V1 from the first patient of the database. Middle: AA contribution to lead V1 estimated by FastICA-SOBI from the 12-lead ECG. Bottom: AA contribution to lead V1 estimated by RobustICA from the 12-lead ECG.




Fig. 8. Atrial activity extraction in atrial fibrillation ECGs. Top: power spectral density of signal V1 from the first patient of the database. Middle: power spectral density of AA contribution to lead V1 estimated by FastICA-SOBI from the 12-lead ECG. Bottom: power spectral density of AA contribution to lead V1 estimated by RobustICA from the 12-lead ECG. Values on the left-hand side and dashed lines: dominant frequency. Values on the right-hand side: spectral concentration. Dash-dotted lines: bounds used in the computation of spectral concentration.